

# OEM Copper PVC OR Rubber Welding Cable

600 Volts. Rated for -50°C to 105°C. Sizes; All Types  
Good Quality, Good Flexible, Oil Resistant  
Black Rubber Jacket



## Product Description:

(1).Standard:

GB/t5013.6 IEC2045-81

(2).Construction:

1).Conductor:

A)Annealed class 5 flexible copper wire

B)Overall diameter of single wire: 0.2mm<sup>2</sup>

C)NO. of copper wire: 513

2).Insulation

A)Neoprene

B)Thickness of insulation:2.0mm

C)Heat resistant,Oil resistant and flame retardant

(3).Technical Data:

1).Max.operating temperature:

A)+75°C (Used as power transmission)

B)+105°C(Used as welding cable)

2).Rated voltage:

A)600V (Used as power transmission)

B)220V (Used as welding cable)

3).Other data:

A)Overall diameter: 8.8~11.0mm

B)Approx weight: 230Kg/Km

Welcome Inquiry !

For more details, please contact us (richardzi@zw-cable.com) at any time!

All we do are make your business more successful!

Company: Henan Central Plain Cables and Wires Co.,Ltd



Henan Central Plain Industry Co.,Ltd

Address: The intersection of Hanghai Road and Tongbai Road, Henan, China

Website: [www.centralplaincable.com](http://www.centralplaincable.com)

Tel: +86-371-65332055

Mobile: +86-13683822973

Whatsapp: +86-13683822973

WeChat: +86-13683822973

Skype: 8925486@qq.com

